CATEGORY 7 - NAVIGATION AND AVIONICS

A. "END ITEMS," "EQUIPMENT," "ACCESSORIES," "ATTACHMENTS," "PARTS," "COMPONENTS," AND "SYSTEMS"

N.B.1: For automatic pilots for underwater vehicles, see Category 8. For radar, see Category 6.

7A001 Accelerometers as follows (see List of Items Controlled) and "specially designed" "components" therefor.

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart

(See Supp. No.

1 to part 738).

NS applies to entire entry NS Column 1

MT applies to commodities MT Column 1 that meet or exceed the parameters of 7A101.

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: See also <u>7A101</u> and <u>7A994</u>. For angular or rotational accelerometers, see <u>7A001.b.</u> MT controls

do not apply to accelerometers that are "specially designed" and developed as Measurement While Drilling(MWD) sensors for use in downhole well service applications.

Related Definitions: N/A

Items:

- a. Linear accelerometers having any of the following:
- a.1. Specified to function at linear acceleration levels less than or equal to 15 g and having any of the following:
- a.1.a. A "bias" "stability" of less (better) than 130 micro g with respect to a fixed calibration value over a period of one year; *or*
- a.1.b. A "scale factor" "stability" of less (better) than 130 ppm with respect to a fixed calibration value over a period of one year;
- a.2. Specified to function at linear acceleration levels exceeding 15 g but less than or equal to 100 g and having all of the following:
- a.2.a. A "bias" "repeatability" of less (better) than 1,250 micro g over a period of one year; *and*
- a.2.b. A "scale factor" "repeatability" of less (better) than 1,250 ppm over a period of one year; *or*
- a.3. Designed for use in inertial navigation or guidance systems and specified to function at linear acceleration levels exceeding 100 g;

Note: 7A001.a.1 and 7A001.a.2 do not apply to accelerometers limited to measurement of only vibration or shock.

b. Angular or rotational accelerometers, specified to function at linear acceleration

levels exceeding 100 g.

7A002 Gyros or angular rate sensors, having any of the following (see List of Items Controlled) and "specially designed" "components" therefor.

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart (See Supp. No.

1 to part 738).

NS applies to entire entry NS Column 1

MT applies to MT Column 1

commodities that meet or exceed the parameters of 7A102.

AT applies to entire entry AT Column 1

License Requirement Note: For the purpose of MT controls only, the term 'stability' is defined as a measure of the ability of a specific mechanism or performance coefficient to remain invariant when continuously exposed to a fixed operating condition. (This definition does not refer to dynamic or servo stability.) (IEEE STD 528-2001 paragraph 2.247)

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: See also <u>7A102</u> and <u>7A994</u>. For angular or rotational accelerometers, see 7A001.b.

Related Definitions: N/A Items:

- a. Specified to function at linear acceleration levels less than or equal to 100 g and having any of the following:
- a.1. A rate range of less than 500 degrees per second and having any of the following:
- a.1.a. A "bias" "stability" of less (better) than 0.5 degree per hour, when measured in a 1 g environment over a period of one month, and with respect to a fixed calibration value; *or*
- a.1.b. An "angle random walk" of less (better) than or equal to 0.0035 degree per square root hour; or

Note: 7A002.a.1.b does not control "spinning mass gyros".

- a.2. A rate range greater than or equal to 500 degrees per second and having any of the following:
- a.2.a. A "bias" "stability" of less (better) than 4 degrees per hour, when measured in a 1 g environment over a period of three minutes, and with respect to a fixed calibration value; *or*
- a.2.b. An "angle random walk" of less (better) than or equal to 0.1 degree per square root hour; *or*

Note: 7A002.a.2.b does not apply to "spinning mass gyros".

b. Specified to function at linear acceleration levels exceeding 100 g.

7A003 'Inertial measurement equipment or systems', having any of the following (see List of Items Controlled).

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

NS applies to entire entry NS Column 1

MT applies to commodities MT Column 1 in 7A003.d that meet or exceed the parameters of

7A103

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: (1) See also 7A103 and 7A994. Navigation (2) Inertial Systems(INS) and inertial equipment, and "specially designed" "parts" and "components" therefor specifically designed, modified or configured for military use are "subject to the ITAR" (see 22 CFR parts 120 through 130.)

Related Definitions: N/A

Items:

Note 1: 'Inertial measurement equipment or systems' incorporate accelerometers or gyroscopes to measure changes in velocity and orientation in order to determine or maintain heading or position without requiring an external reference once aligned. 'Inertial measurement equipment or systems' include:

- Attitude and Heading Reference

Systems (AHRSs);

- Gyrocompasses;
- *Inertial Measurement Units (IMUs)*;
- *Inertial Navigation Systems (INSs)*;
- Inertial Reference Systems (IRSs);
- Inertial Reference Units (IRUs).

Note 2: 7A003 does not apply to 'inertial measurement equipment or systems' which are certified for use on "civil aircraft" by civil authorities of a Wassenaar Arrangement Participating State, see Supplement No. 1 to part 743 of the EAR.

Technical Notes:

- 1. 'Positional aiding references' independently provide position, and include:
- a. Global Navigation Satellite Systems (GNSS);
- **b.** "Data-Based Referenced Navigation" ("DBRN").
- 2. 'Circular Error Probable' ('CEP') In a circular normal distribution, the radius of the circle containing 50% of the individual measurements being made, or the radius of the circle within which there is a 50% probability of being located.
- a. Designed for "aircraft", land vehicles or vessels, providing position without the use of 'positional aiding references', and having any of the following accuracies subsequent to normal alignment:
- a.1.0.8 nautical miles per hour (nm/hr) 'Circular Error Probable' ('CEP') rate or less (better);
- a.2. 0.5% distanced travelled 'CEP' or less (better); *or*
 - a.3. Total drift of 1 nautical mile 'CEP' or

less (better) in a 24 hr period;

Technical Note: The performance parameters in 7A003.a.1, 7A003.a.2 and 7A003.a.3 typically apply ʻinertia measurement equipment or systems' designed "aircraft", vehicles and vessels. respectively. These parameters result from the utilization of specialized non-positional aiding references (e.g., altimeter, odometer, velocity As a consequence, the specified performance values cannot be readily converted between these parameters. Equipment designed for multiple platforms are evaluated against each applicable entry 7A003.a.1, 7A003.a.2, or 7A003.a.3.

b. Designed for "aircraft", land vehicles or vessels, with an embedded 'positional aiding reference' and providing position after loss of all 'positional aiding references' for a period of up to 4 minutes, having an accuracy of less (better) than 10 meters 'CEP';

Technical Note: 7A003.b refers to systems in which 'inertial measurement equipment or systems' and other independent 'positional aiding references' are built into a single unit (i.e., embedded) in order to achieve improved performance.

- c. Designed for "aircraft", land vehicles or vessels, providing heading or True North determination and having any of the following:
- c.1. A maximum operating angular rate less (lower) than 500 deg/s and a heading accuracy without the use of 'positional aiding references' equal to or less (better) than 0.07 deg sec (Lat) (equivalent to 6 arc minutes rms at 45 degrees latitude); *or*
- c.2. A maximum operating angular rate equal to or greater (higher) than 500 deg/s and a heading accuracy without the use of 'positional aiding references' equal to or less (better) than 0.2 deg sec (Lat) (equivalent to 17

arc minutes rms at 45 degrees latitude);

- d. Providing acceleration measurements or angular rate measurements, in more than one dimension, and having any of the following:
- d.1. Performance specified by 7A001 or 7A002 along any axis, without the use of any aiding references; or
- d.2. Being "space-qualified" and providing angular rate measurements having an "angle random walk" along any axis of less (better) than or equal to 0.1 degree per square root hour.

Note: 7A003.d.2 does not apply to 'inertial measurement equipment or systems' that contain "spinning mass gyros" as the only type of gyro.

7A004 'Star trackers' and "components" therefor, as follows (see List of Items Controlled).

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart (See Supp. No.

1 to part 738).

NS applies to entire entry NS Column 1

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: (1) See USML Category XV for certain 'star trackers' that are "subject to the ITAR" (see 22 CFR parts 120 through 130). (2) See also 7A104 and 7A994.

Related Definitions: N/A

Items:

- a. 'Star trackers' with a specified azimuth accuracy of equal to or less (better) than 20 seconds of arc throughout the specified lifetime of the equipment;
- b. "Components" "specially designed" for equipment specified in 7A004.a as follows:
 - b.1. Optical heads or baffles;
 - b.2. Data processing units.

Technical Note: 'Star trackers' are also referred to as stellar attitude sensors or gyroastro compasses.

7A005 Global Navigation Satellite Systems (GNSS) receiving equipment having any of the following (see List of Items Controlled) and "specially designed" "components" therefor.

License Requirements

These items are "subject to the ITAR" (see 22 CFR parts 120 through 130).

List of Items Controlled

Related Controls: (1) See also 7A105 and 7A994. Typically commercially available GPS do not employ decryption or adaptive antenna and are classified as 7A994. (2) For equipment "specially designed" for military use, see Categories XI and XV of the U.S. Munitions List (22 CFR 121).

Related Definitions: N/A Items:

- a. Employing a decryption algorithm "specially designed" or modified for government use to access the ranging code for position and time; *or*
- b. Employing 'adaptive antenna systems'.

Note: 7A005.b does not apply to GNSS receiving equipment that only uses "components" designed to filter, switch, or combine signals from multiple omni-directional antennas that do not implement adaptive antenna techniques.

Technical Note: For the purposes of 7A005.b 'adaptive antenna systems' dynamically generate one or more spatial nulls in an antenna array pattern by signal processing in the time domain or frequency domain.

7A006 Airborne altimeters operating at frequencies other than 4.2 to 4.4 GHz inclusive and having any of the following (see List of Items Controlled).

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart

(See Supp. No.

1 to part 738).

NS applies to entire entry NS Column 1

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: See also <u>7A106</u>, <u>7A994</u> and Category 6 for controls on radar.

Related Definitions: N/A

Items:

a. "Power management"; or

b. Using phase shift key modulation.

7A008 Underwater sonar navigation systems using Doppler velocity or correlation velocity logs integrated with a heading source and having a positioning accuracy of equal to or less (better) than 3% of distance traveled "Circular Error Probable" ("CEP") and "specially designed" "components" therefor.

License Requirements

Reason for Control: NS, AT

Control(s) Country Chart

(See Supp. No.

1 to part 738).

NS applies to entire entry NS Column 2

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: 7A008 does not control systems "specially designed" for installation on surface vessels or systems requiring acoustic beacons or buoys to provide positioning data. See 6A001.a for acoustic systems, and 6A001.b for correlation-velocity and Doppler- velocity sonar log equipment. See 8A002 for other marine systems.

Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

7A101 Accelerometers, other than those controlled by 7A001 (see List of Items Controlled), and "specially designed" "parts" and "components" therefor.

License Requirements

Reason for Control: MT, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: This entry does not control accelerometers which are "specially designed" and developed as MWD (Measurement While Drilling) sensors for

use in downhole well service operations. *Related Definitions*: N/A *Items*:

- a. Linear accelerometers designed for use in inertial navigation systems or in guidance systems of all types, usable in "missiles" having *all* of the following characteristics, and "specially designed" "parts" and "components" therefor:
- a.1. 'Scale factor' "repeatability" less (better) than 1250 ppm; and
- a.2. 'Bias' "repeatability" less (better) than 1250 micro g.

Note: The measurement of 'bias' and 'scale factor' refers to one sigma standard deviation with respect to a fixed calibration over a period of one year.

b. Accelerometers of any type, designed for use in inertial navigation systems or in guidance systems of all types, specified to function at acceleration levels greater than 100 g.

Note to paragraph (b): This paragraph (b) does not include accelerometers that are designed to measure vibration or shock.

7A102 Gyros, other than those controlled by 7A002 (see List of Items Controlled), and "specially designed" "parts" and "components" therefor.

License Requirements

Reason for Control: MT, AT

Control(s)

Country Chart
(See Supp. No.
1 to part 738).

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: N/A

Related Definitions: 1.) Drift rate is defined as the time rate of output deviation from the desired output. It consists of random and systematic components and is expressed as an equivalent angular displacement per unit time with respect to inertial space. 2.) Stability is defined as standard deviation (1 sigma) of the variation of a particular parameter from its calibrated value measured under stable temperature conditions. This can be expressed as a function of time.

Items:

- a. All types of gyros, usable in rockets, missiles, or unmanned aerial vehicles capable of achieving a "range" equal to or greater than 300 km, with a rated "drift rate" 'stability' of less than 0.5 degrees (1 sigma or rms) per hour in a 1 g environment.
- b. Gyros of any type, designed for use in inertial navigation systems or in guidance systems of all types, specified to function at acceleration levels greater than 100 g.

Technical Note: In this entry, the term 'stability' is defined as a measure of the ability of a specific mechanism or performance coefficient to remain invariant when continuously exposed to a fixed operating condition. (This definition does not refer to

dynamic or servo stability.) (IEEE STD 528-2001 paragraph 2.247)

7A103 Instrumentation, navigation equipment and systems, other than those controlled by 7A003, and "specially designed" "parts" and "components" therefor, as follows (see List of Items Controlled).

License Requirements

Reason for Control: MT, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: (1) See ECCN 7A003 and 7A994. (2) For rockets, missiles, or unmanned aerial vehicles controlled under the U.S. Munitions List (USML), items described in 7A103.b are "subject to the ITAR" (see 22 CFR parts 120 through 130). (3) Inertial navigation systems and inertial equipment, and "specially "parts" and "components" designed" therefor specifically designed, modified or configured for military use are "subject to the ITAR" (see 22 CFR parts 120 through 130).

Related Definitions: N/A

Items:

- a. Inertial or other equipment using accelerometers or gyros controlled by 7A001, 7A002, 7A101 or 7A102 and systems incorporating such equipment, and "specially designed" "parts" and "components" therefor;
- Note 1: 7A103.a does not control equipment containing accelerometers "specially designed" and developed as MWD (Measurement While Drilling) sensors for use in down-hole well services operations.
- **Note 2**: 7A103.a does not control inertial or other equipment using accelerometers or gyros controlled by 7A001 or 7A002 that are only NS controlled.
- b. Integrated flight instrument systems, which include gyrostabilizers or automatic pilots, designed or modified for use in rockets, missiles, or unmanned aerial vehicles capable of achieving a "range" equal to or greater than 300 km, and "specially designed" "parts" and "components" therefor.
- c. Integrated Navigation Systems, designed or modified for use in rockets, missiles, or unmanned aerial vehicles capable of achieving a "range" equal to or greater than 300 km and capable of providing a navigational accuracy of 200m Circular Error Probable (CEP) or less.

Technical Note: An 'integrated navigation system' typically incorporates the following "parts" and "components":

- 1. An inertial measurement device (e.g., an attitude and heading reference system, inertial reference unit, or inertial navigation system);
- 2. One or more external sensors used to update the position and/or velocity, either periodically or continuously throughout the flight (e.g., satellite navigation receiver, radar altimeter, and/or Doppler radar); and

3. Integration hardware and software.

7A104 Gyro-astro compasses and other devices, other than those controlled by 7A004, which derive position or orientation by means of automatically tracking celestial bodies or satellites and "specially designed" "parts" and "components" therefor.

License Requirements

Reason for Control: MT, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: (1) See USML Categories IV and XV for certain 'star trackers' that are "subject to the ITAR" (see 22 CFR parts 120 through 130). (2) This entry controls "specially designed" "parts" and "components" for gyro-astro compasses and other devices controlled by 7A004.

Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

7A105 Receiving equipment for Global Navigation Satellite Systems (GNSS) (e.g., GPS, GLONASS, or Galileo) designed or modified for airborne applications and capable of providing navigation information at speeds in excess of 600 m/s (1,165 nautical mph), and "specially designed" "parts" and "components" therefor.

License Requirements

Reason for Control: MT, AT

Control(s)	Country Chart (See Supp. No. 1 to part 738).
MT applies to entire entry	MT Column 1
AT applies to entire entry.	AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: (1) See also 7A005 and 7A994. (2) See Categories XI and XV of the U.S. Munitions List (22 CFR 121.1) for controls on similar equipment "specially designed" for defense articles.

Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

7A106 Altimeters, other than those controlled by 7A006, of radar or laser radar type, designed or modified for use in "missiles". (These items are "subject to the ITAR". See 22 CFR parts 120 through 130.)

systems.

7A107 Three axis magnetic heading sensors having all of the following characteristics (see List of Items Controlled), and "specially designed" "parts" and "components" therefor.

License Requirements

Reason for Control: MT, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: N/A Related Definitions: N/A

Items:

- a. Internal tilt compensation in pitch (+/-90 degrees) and roll (+/-180 degrees) axes;
- b. Capable of providing azimuthal accuracy better (less) than 0.5 degrees rms at latitudes of +/- 80 degrees, referenced to local magnetic field; *and*
- c. Designed or modified to be integrated with flight control and navigation systems.

Note: Flight control and navigation systems in 7A107 include gyrostabilizers, automatic pilots and inertial navigation

7A115 Passive sensors for determining bearing to specific electromagnetic sources (direction finding equipment) or terrain characteristics, designed or modified for use in "missiles". (These items are "subject to the ITAR". See 22 CFR parts 120 through 130.)

7A116 Flight control systems (hydraulic, mechanical, electro-optical, or electro-mechanical flight control systems (including fly-by-wire systems) and attitude control equipment) designed or modified for "missiles". (These items are "subject to the ITAR". See 22 CFR parts 120 through 130.)

7A117 "Guidance sets" capable of achieving system accuracy of 3.33% or less of the range (e.g., a "CEP" of 10 km or less at a range of 300 km). (These items are "subject to the ITAR". See 22 CFR parts 120 through 130.)

7A994 Other navigation direction finding equipment, airborne communication equipment, all aircraft inertial navigation systems not controlled under 7A003 or 7A103, and other avionic equipment, including "parts" and "components," n.e.s.

License Requirements

Reason for Control: RS, AT

Control(s) Country Chart (See Supp. No.

1 to part 738).

RS applies to RS Column 1

QRS11-00100-100/101 and

ORS11-00050-443/569

Micromachined Angular Rate Sensors. See Related Controls.

AT applies to entire entry AT Column 1

License Requirement Notes: (1)There is no de minimis level for foreign-made commercial primary or standby instrument systems that integrate QRS11-00100-100/101 or commercial automatic flight control systems that integrate QRS11-00050-443/569 Micromachined Angular Rate Sensors (see §734.4(a) of the EAR). (2) Typically commercially available GPS do not employ decryption or adaptive antenna and are classified as 7A994.

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: (1) See also 7A005 and (2) QRS11 Micromachined Angular Rate Sensors are "subject to the ITAR" (see 22 CFR parts 120 through 130), unless the QRS11-00100-100/101 is integrated into and included as an integral "component" of a commercial primary or standby instrument system of the type described in ECCN 7A994, or aircraft of the type described in ECCN 9A991 that incorporates such systems, or is exported solely for integration into such a system; or the ORS11-00050-443/569 is integrated into an automatic flight control system of the type described in ECCN 7A994, or aircraft of the type described in ECCN 9A991 that incorporates such systems, or are exported solely for integration into such a system. (See Commodity Jurisdiction requirements in 22 CFR Parts 121;

Category VIII(e), Note(1).) In the latter case, such items are subject to the EAR. Technology specific to the development and production of QRS11 sensors remains "subject to the ITAR" (see 22 CFR parts 120 through 130).

Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

B. TEST, INSPECTION AND "PRODUCTION EQUIPMENT"

7B001 Test, calibration or alignment equipment, "specially designed" for equipment controlled by 7A (except 7A994).

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart (See Supp. No.

1 to part 738).

NS applies to entire entry NS Column 1

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: (1) See also <u>7B101</u>, 7B102 and 7B994. (2) This entry does not

control test, calibration or alignment equipment for 'Maintenance level I' or 'Maintenance Level II'.

Related Definition: (1) 'Maintenance Level I': The failure of an inertial navigation unit is detected on the aircraft by indications from the Control and Display Unit (CDU) or by the status message from the corresponding sub-system. By following the manufacturer's manual, the cause of the failure may be localized at the level of the malfunctioning Line Replaceable Unit (LRU). The operator then removes the LRU and replaces it with a spare. (2) 'Maintenance Level II': The defective LRU is sent to the maintenance workshop (the manufacturer's or that of the operator responsible for level II maintenance). At maintenance workshop, malfunctioning LRU is tested by various appropriate means to verify and localize the defective Shop Replaceable Assembly (SRA) module responsible for the failure. This SRA is removed and replaced by an operative spare. The defective SRA (or possibly the complete LRU) is then shipped to the manufacturer. 'Maintenance Level II' does not include the disassembly or repair of controlled accelerometers or gyro sensors.

Items:

The list of items controlled is contained in the ECCN heading.

7B002 Equipment "specially designed" to characterize mirrors for ring "laser" gyros, as follows (see List of Items Controlled).

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart (See Supp. No.

1 to part 738).

NS applies to entire entry NS Column 1

MT applies to entire entry MT Column 1

AT Column 1 AT applies to entire entry

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: See also 7B102 and

Related Definitions: N/A

Items:

a. Scatterometers having a measurement accuracy of 10 ppm or less (better);

Profilometers having a measurement accuracy of 0.5 nm (5 angstrom) or less (better).

7B003 Equipment "specially designed" for the "production" of equipment controlled by 7A (except 7A994).

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart

(See Supp. No.

1 to part 738).

NS applies to entire entry NS Column 1

MT applies to entire entry MT Column 1 AT applies to entire entry

AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: (1) See also 7B103, (this entry is "subject to the ITAR" (see 22 CFR parts 120 through 130)) and 7B994. (2) This entry includes: Inertial Measurement Unit (IMU module) tester; IMU platform tester; IMU stable element handling fixture; IMU platform balance fixture; gyro tuning test station; gyro dynamic balance station; gyro run-in/motor test station; gyro evacuation and fill station; centrifuge fixtures for gyro bearings; accelerometer axis align stations; accelerometer test station; and fiber optic gyro coil winding machines.

Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

7B101 "Production equipment", and other test, calibration, and alignment equipment, other than that described in 2B119 to 2B122, 7B003, and 7B102, designed or modified to be used with equipment controlled by 7A001 to 7A004 or 7A101 to 7A104.

License Requirements

Reason for Control: MT, AT

Control(s) Country Chart (See Supp. No.

1 to part 738).

MT applies to entire entry M

MT Column 1

AT applies to entire entry

AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls:1.) See also 2B119 to 2B122, 7B003, 7B102, and 7B994. 2.) This entry includes: inertial measurement unit (IMU module) tester; IMU platform tester; IMU stable element handling fixture; IMU platform balance fixture; gyro tuning test station; gyro dynamic balance stations; gyro run-in/motor test stations; gyro evacuation and filling stations; centrifuge fixtures for gyro bearings; accelerometer axis align stations; and accelerometer test stations.

Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

7B102 Equipment, other than those controlled by 7B002, designed or modified to characterize mirrors, for laser gyro equipment, as follows (see List of Items Controlled).

License Requirements

Reason for Control: MT, AT

Control(s)

Country Chart (See Supp. No. 1 to part 738).

Commerce Control List

Supplement No. 1 to Part 774

Category 7—page 14

MT applies to entire entry

MT Column 1

AT applies to entire entry

AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: N/A Related Definitions: N/A

Items:

- a. Scatterometers having a threshold accuracy of 10 ppm or less (better).
- b. Reflectometers having a threshold accuracy of 50 ppm or less (better).
- c. Prolifometers having a threshold accuracy of 0.5nm (5 angstrom) or less (better).

7B103 "Specially designed" "production facilities" for equipment controlled by 7A117. (These items are "subject to the ITAR". See 22 CFR parts 120 through 130.)

7B994 Other equipment for the test, inspection, or "production" of navigation and avionics equipment.

License Requirements

Reason for Control: AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

AT applies to entire entry

List Based License Exec

AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

LVS: N/A GBS: N/A CIV: N/A

List of Items Controlled

Related Controls: N/A Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

C. "MATERIALS" [RESERVED]

D. "SOFTWARE"

7D001 "Software" "specially designed" or modified for the "development" or "production" of equipment controlled by 7A (except 7A994) or 7B (except 7B994).

License Requirements

Reason for Control: NS, MT, RS, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

NS applies to "software" NS Column 1

for equipment controlled by 7A001 to 7A004, 7A006, 7A008, 7B001, 7B002 or

7B003

MT applies to "software" for MT Column 1

equipment controlled for MT reasons. MT does not apply to "software" for equipment controlled by 7A008.

RS applies to "software" RS Column 1 for inertial navigation systems and inertial equipment, and "components" therefor, for "9A991.b aircraft".

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

Items:

List of Items Controlled

Related Controls: 1.) See also 7D101 and 7D994. (2) The "software" related to 7A003.b, 7A005, 7A103.b, 7A105, 7A106, 7A115, 7A116, 7A117, or 7B103 is "subject to the ITAR" (see 22 CFR parts 120 through 130). (3) "Software" for inertial navigation systems and inertial equipment and "parts" or "components" "specially designed" therefor that are directly related to defense articles and not "specially designed" for use on civil aircraft is "subject to the ITAR" (see 22 CFR parts 120 through 130). Related Definitions: N/A

The list of items controlled is contained in the ECCN heading.

7D002 "Source code" for the operation or maintenance of any inertial navigation equipment, including inertial equipment not controlled by 7A003 or 7A004, or Attitude and Heading Reference Systems ('AHRS').

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

NS applies to entire entry NS Column 1

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

Reporting Requirements

See § 743.1 of the EAR for reporting requirements for exports under License Exceptions, Special Comprehensive Licenses, and Validated End-User authorizations.

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

List of Items Controlled

Related Controls: 1.) See also <u>7D102</u> and <u>7D994</u>. 2.) This entry does not control "source code" for the operation or maintenance of gimballed 'AHRS'.

Related Definition: 'AHRS' generally differ from Inertial Navigation Systems (INS) in that an 'AHRS' provides attitude and heading information and normally does not provide the acceleration, velocity and position information associated with an INS.

Items:

The list of items controlled is contained in the ECCN heading.

7D003 Other "software" as follows (see List of Items Controlled).

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

NS applies to entire entry NS Column 1

MT applies to "software" for MT Column 1 equipment controlled for MT reasons. MT does not apply to "software" for equipment controlled by 7A008.

AT applies to entire entry AT Column 1

Reporting Requirements

See § 743.1 of the EAR for reporting requirements for exports under License Exceptions, Special Comprehensive Licenses, and Validated End-User authorizations.

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

Special Conditions for STA

STA: License Exception STA may not be used to ship or transmit software in 7D003.a or .b to any of the destinations listed in Country Group A:6 (See Supplement No.1 to part 740 of the EAR).

List of Items Controlled

Related Controls: See also 0D521 No. 2 ("source code" for the "development" of fly-by-wire control systems), 0E521 No. 6 (for "technology" for the "development" of "software" controlled by 0D521 No. 2), 7D103 and 7D994.

Related Definitions: 'Data-Based Referenced Navigation' ('DBRN') systems are systems which use various sources of previously measured geo-mapping data integrated to provide accurate navigation information under dynamic conditions. Data sources include bathymetric maps, stellar maps, gravity maps, magnetic maps or 3-D digital terrain maps.

Items:

- a. "Software" "specially designed" or modified to improve the operational performance or reduce the navigational error of systems to the levels controlled by 7A003, 7A004 or 7A008;
- b. "Source code" for hybrid integrated systems which improves the operational performance or reduces the navigational error of systems to the level controlled by 7A003 or 7A008 by continuously combining heading data with any of the following:
 - b.1. Doppler radar or sonar velocity data;
- b.2. Global Navigation Satellite Systems (GNSS) reference data; *or*
- b.3. Data from 'Data-Based Referenced Navigation' ('DBRN'') systems;
- c. [RESERVED]
- d. [RESERVED]
- **N.B.** For flight control "source code," see 7D004.
- e. Computer-Aided-Design (CAD) "software" "specially designed" for the "development" of

"active flight control systems", helicopter multi-axis fly-by-wire or fly-by-light controllers or helicopter "circulation controlled anti-torque or circulation-controlled direction control systems", whose "technology" is controlled by 7E004.b, 7E004.c.1 or 7E004.c.2.

7D004 "Source code" incorporating "development" "technology" specified by 7E004.a.1 to a.6 or 7E004.b, for any of the following: (see List of Items Controlled).

License Requirements

Reason for Control: NS, AT

Control(s)	Country Chart (See Supp. No. 1 to part 738).
NS applies to entire entry	NS Column 1
AT applies to entire entry	AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

Special Conditions for STA

STA: License Exception STA may not be used to ship or transmit "software" in 7D004.a to .d and .g to any of the destinations listed in Country Group A:6 (See Supplement No.1 to part 740 of the EAR).

List of Items Controlled

Related Controls: See also 0D521 No. 2 ("source code" for the "development" of fly-by-wire control systems), 0E521 No. 6 (for "technology" for the "development" of "software" controlled by 0D521 No. 2), 7D103 and 7D994

Related Definitions: N/A

Items:

- a. Digital flight management systems for "total control of flight";
- b. Integrated propulsion and flight control systems;
- c. Fly-by-wire or fly-by-light control systems;
- d. Fault-tolerant or self-reconfiguring "active flight control systems";
- e. [RESERVED];
- f. Air data systems based on surface static data; or
- g. Three dimensional displays.

Note: 7D004 does not apply to "source code" associated with common computer elements and utilities (e.g., input signal acquisition, output signal transmission, computer program and data loading, built-in test, task scheduling mechanisms) not providing a specific flight control system function.

7D005 "Software" "specially designed" to decrypt Global Navigation Satellite Systems (GNSS) ranging signals designed for government use.

License Requirements

Reason for Control: NS, AT

Control(s)	Country Chart
	(See Supp. No.
	1 to part 738).
NS applies to entire entry	NS Column 1
AT applies to entire entry	AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

List of Items Controlled

Related Controls: N/A Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

7D101 "Software" "specially designed" or modified for the "use" of equipment controlled by 7A001 to 7A006, 7A101 to 7A107, 7A115, 7A116, 7A117, 7B001, 7B002, 7B003, 7B101, 7B102, or 7B103 for MT reasons.

License Requirements

Reason for Control: MT, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

List of Items Controlled

Related Controls: (1) The "software" related to 7A003.b, 7A005, 7A103.b, 7A105, 7A106, 7A115, 7A116, 7A117, or 7B103 is "subject to the ITAR" (see 22 CFR parts 120 through 130). (2) "Software" for inertial navigation systems

and inertial equipment and "parts" and "components" "specially designed" therefor that are directly related to a defense article is "subject to the ITAR" (see 22 CFR parts 120 through 130).

Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

7D102 Integration "software," as follows (See List of Items Controlled).

License Requirements

Reason for Control: MT, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

List of Items Controlled

Related Controls: The "software" related to <u>7A003.b</u> or <u>7A103.b</u> is "subject to the ITAR" (see 22 CFR parts 120 through 130)

Related Definitions: N/A

Items:

a. Integration "software" for the equipment controlled by 7A103.b.

b. Integration "software" "specially designed" for the equipment controlled by 7A003 or

7A103.a.

7D103 "Software" "specially designed" for modelling or simulation of the "guidance sets" controlled by 7A117 or for their design integration with "missiles". (This entry is "subject to the ITAR". See 22 CFR parts120 through 130.)

7D994 "Software", n.e.s., for the "development", "production", or "use" of navigation, airborne communication and other avionics.

License Requirements

Reason for Control: AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

List of Items Controlled

Related Controls: N/A Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

E. "TECHNOLOGY"

7E001 "Technology" according to the General Technology Note for the

"development" of equipment or "software", specified by 7.A., 7.B., 7D001, 7D002, 7D003 or 7D005.

License Requirements

Reason for Control: NS, MT, RS, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

NS applies to "technology" NS Column 1 for items controlled by 7A001 to 7A004, 7A006, 7A008, 7B001 to 7B003, 7D001 to 7D005.

MT applies to "technology" MT Column 1 for equipment controlled for MT reasons. MT *does not* apply to "technology" for equipment controlled by 7A008. MT *does* apply to "technology" for equipment specified in 7A001, 7A002 or 7A003.d that meets or exceeds parameters of 7A101, 7A102 or 7A103.

RS applies to "technology" RS Column 1 for inertial navigation systems or inertial equipment, and "components" therefor, for 9A991.b aircraft.

AT applies to entire entry AT Column 1

Reporting Requirements

See § 743.1 of the EAR for reporting requirements for exports under License Exceptions, Special Comprehensive Licenses, and Validated End-User authorizations.

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

Special Conditions for STA

STA: License Exception STA may not be used to ship or transmit any technology in this entry to any of the destinations listed in Country Group A:6 (See Supplement No.1 to part 740 of the EAR).

List of Items Controlled

Related Controls: (1) See also 0D521 No. 2 ("source code" for the "development" of fly-by-wire control systems), 0E521 No. 6 (for "technology" for the "development" of "software" controlled by 0D521 No. 2), 7E101 and 7E994. (2) The "technology" related to 7A003.b, 7A005, 7A103.b, 7A105, 7A106, 7A115, 7A116, 7A117, 7B103, software in 7D101 specified in the Related Controls paragraph of ECCN 7D101, 7D102.a, or 7D103 is "subject to the ITAR" (see 22 CFR parts 120 through 130).

Related Definitions: N/A Items:

The list of items controlled is contained in the ECCN heading.

Note: 7E001 includes key management "technology" exclusively for equipment specified in 7A005.a.

7E002 "Technology" according to the General Technology Note for the "production" of equipment controlled by 7A (except 7A994) or 7B (except 7B994).

License Requirements

Reason for Control: NS, MT, RS, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

NS applies to "technology" for equipment controlled by 7A001 to 7A004, 7A006, 7A008 or 7B001 to 7B003

NS Column 1

MT Column 1

MT applies to "technology" for equipment controlled for MT reasons. MT <u>does not</u> apply to "technology" for equipment controlled by 7A008. MT <u>does</u> apply to "technology" for equipment specified in 7A001, 7A002

or 7A003.d that meets or exceeds parameters of 7A101, 7A102 or 7A103.

RS applies to "technology" for inertial navigation systems or inertial equipment, and "components" therefor, for 9A991 b aircraft.

RS Column 1

AT applies to entire entry

AT Column 1

Reporting Requirements

See § 743.1 of the EAR for reporting requirements for exports under License Exceptions, Special Comprehensive Licenses, and Validated End-User authorizations.

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

Special Conditions for STA

STA: License Exception STA may not be used to ship or transmit any technology in this entry to any of the destinations listed in Country Group A:6 (See Supplement No.1 to part 740 of the EAR).

List of Items Controlled

Related Controls: (1) See also <u>7E102</u> and <u>7E994</u>. (2) The "technology" related to <u>7A003.b</u>, <u>7A005</u>, <u>7A103.b</u>, <u>7A105</u>, <u>7A106</u>, <u>7A115</u>, <u>7A116</u>, <u>7A117</u>, or <u>7B103</u> is "subject to the ITAR" (see 22 CFR parts 120 through 130).

Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

7E003 "Technology" according to the General Technology Note for the repair, refurbishing or overhaul of equipment controlled by 7A001 to 7A004.

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart (See Supp. No.

1 to part 738).

NS applies to entire entry NS Column 1

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

List of Items Controlled

Related Controls: See also 7E994. This entry does not control maintenance "technology" directly associated with calibration, removal or replacement of damaged or unserviceable LRUs and SRAs of a "civil aircraft" as described in 'Maintenance Level I' or 'Maintenance Level II'.

Related Definition: Refer to the Related Definitions for 7B001 for 'Maintenance Level I' or 'Maintenance Level II'.

Items:

The list of items controlled is contained in the ECCN heading.

7E004 Other "technology" as follows (see List of Items Controlled).

License Requirements

Reason for Control: NS, MT, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

NS applies to entire entry NS Column 1

MT applies to "technology" MT Column 1 for equipment or systems controlled for MT reasons.

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

Special Conditions for STA

STA: (1) Paragraph (c)(1) of License Exception STA (§ 740.20(c)(1) of the

EAR) may not be used for 7E004, except for 7E004.a.7. (2) Paragraph (c)(2) of License Exception STA (§ 740.20(c)(2) of the EAR) may not be used for 7E004, except for 7E004.a.7.

List of Items Controlled

Related Controls: (1) See 0D521 No. 2 ("source code" for the "development" of fly-by-wire control systems), 0E521 No. 6 (for "technology" for the "development" of "software" controlled by 0D521 No. 2). (2) See also 7E001, 7E002, 7E101, and 7E994. (3) In addition to the Related Controls in 7E001, 7E002, and 7E101 that include MT controls, also see the MT controls in 7E104 for design "technology" for the integration of the flight control, guidance, and propulsion data into a flight management system, designed or modified for rockets or missiles capable of achieving a "range" equal to or greater than 300 km, for optimization of rocket system trajectory; and also see 9E101 for design "technology" for integration of air vehicle fuselage, propulsion system and lifting control designed or surfaces. modified for unmanned aerial vehicles capable of achieving a "range" equal to or greater than km, to optimize aerodynamic performance throughout the flight regime of an unmanned aerial vehicle.

Related Definitions: "Primary flight control" means an "aircraft" stability or maneuvering control using force/moment generators, i.e., aerodynamic control surfaces or propulsive thrust vectoring.

Items:

a. "Technology" for the "development" or "production" of any of the following:

a.1. [RESERVED]

a.2. Air data systems based on surface static data only, i.e., which dispense with

conventional air data probes;

a.3. Three dimensional displays for "aircraft";

a.4. [RESERVED]

- a.5. Electric actuators (i.e., electromechanical, electrohydrostatic and integrated actuator package) "specially designed" for "primary flight control";
- a.6. "Flight control optical sensor array" "specially designed" for implementing "active flight control systems"; or
- a.7. "DBRN" systems designed to navigate underwater, using sonar or gravity databases, that provide a positioning accuracy equal to or less (better) than 0.4 nautical miles;
- b. "Development" "technology", as follows, for "active flight control systems" (including fly-by-wire or fly-by-light):
- b.1. Photonic-based "technology" for sensing aircraft or flight control component state, transferring flight control data, or commanding actuator movement, "required" for fly-by-light "active flight control systems";

b.2. [RESERVED]

b.3. Real-time algorithms to analyze component sensor information to predict and preemptively mitigate impending degradation and failures of components within an "active flight control system";

Note: 7E004.b.3 does not include algorithms for purpose of off-line maintenance.

b.4. Real-time algorithms to identify component failures and reconfigure force and moment controls to mitigate "active flight control system" degradations and failures; **Note:** 7E004.b.4 does not include algorithms for the elimination of fault effects through comparison of redundant data sources, or off-line pre-planned responses to anticipated failures.

b.5. Integration of digital flight control, navigation and propulsion control data, into a digital flight management system for "total control of flight";

Note: 7E004.b.5 does not apply to:

- 1. "Development" "technology" for integration of digital flight control, navigation and propulsion control data, into a digital flight management system for "flight path optimization";
- 2. "Development" "technology" for "aircraft" flight instrument systems integrated solely for VOR, DME, ILS or MLS navigation or approaches.

b.6. [RESERVED]

Note: 7E004.b does not apply to "technology" associated with common computer elements and utilities, e.g., input signal acquisition, output signal transmission, computer program and data loading, built-in test, task scheduling mechanisms) not providing a specific flight control system function.

- c. "Technology" for the "development" of helicopter systems, as follows:
- c.1. Multi-axis fly-by-wire or fly-by-light controllers, which combine the functions of at least two of the following into one controlling element:
 - c.1.a. Collective controls;
 - c.1.b. Cyclic controls;
 - c.1.c. Yaw controls;

- c.2. "Circulation-controlled anti-torque or circulation-controlled directional control systems";
- c.3. Rotor blades incorporating "variable geometry airfoils", for use in systems using individual blade control.

7E101 "Technology", according to the General Technology Note for the "use" of equipment controlled by 7A001 to 7A006, 7A101 to 7A107, 7A115 to 7A117, 7B001, 7B002, 7B003, 7B101, 7B102, 7B103, or 7D101 to 7D103 for MT reasons.

License Requirements

Reason for Control: MT, RS, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

RS Column 1

MT applies to entire entry MT Column 1

RS applies to "technology" required for the use of inertial navigation systems, or inertial equipment, or "specially designed" "parts" and "components" therefor, "specially designed" for 9A991.b aircraft.

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

List of Items Controlled

Related Controls: The "technology" related to 7A003.b, 7A005, 7A103.b, 7A105, 7A106, 7A115, 7A116, 7A117, 7B103, software specified in the Related Controls paragraph of ECCN 7D101, 7D102.a, or 7D103 is "subject to the ITAR" (see 22 CFR parts 120 through 130).

Related Definitions: N/A

Items:

The list of items controlled is contained in the ECCN heading.

7E102 "Technology" for protection of avionics and electrical subsystems against electromagnetic pulse (EMP) and electromagnetic interference (EMI) hazards, from external sources, as follows (see List of Items Controlled).

License Requirements

Reason for Control: MT, AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

MT applies to entire entry MT Column 1

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

List of Items Controlled

Related Controls: N/A Related Definitions: N/A

Items:

- a. Design "technology" for shielding systems;
- b. Design "technology" for the configuration of hardened electrical circuits and subsystems;
- c. Design "technology" for the determination of hardening criteria of .a and .b of this entry.

7E104 Design "Technology" for the integration of the flight control, guidance, and propulsion data into a flight management system, designed or modified for rockets or missiles capable of achieving a "range" equal to or greater than 300 km, for optimization of rocket system trajectory. (This entry is "subject to the ITAR". See 22 CFR parts 120 through 130.)

7E994 "Technology," n.e.s., for the "development," "production" or "use" of navigation, airborne communication, and other avionics equipment.

License Requirements

Reason for Control: AT

Control(s) Country Chart

(See Supp. No. 1 to part 738).

AT applies to entire entry AT Column 1

List Based License Exceptions (See Part 740 for a description of all license exceptions)

CIV: N/A TSR: N/A

List of Items Controlled

Related Controls: Technology specific to

the development and production of QRS11 sensors remains "subject to the ITAR" (see 22 CFR parts 120 through 130) and (see ECCN <u>7A994</u>, Related Controls).

Related Definitions: N/A

Items:

The list of items controlled is contained in the

ECCN heading.

EAR99 Items subject to the EAR that are *not* elsewhere specified in this CCL Category *or* in any other category in the CCL are designated by the number *EAR99*.